



Metal Buildings & Supply, LLC




 1590 East Joyce #8192  
Fayetteville, AR 72703

 [info@tuskmb.com](mailto:info@tuskmb.com)

 479-427-0381

 [www.TuskMBS.com](http://www.TuskMBS.com)

**Quality Structures. Unmatched Support.  
Always Covered.**



**CATALOG** rev.013026



We sincerely appreciate the opportunity of working with you. Whether it is a roofing job, mini-storage or any metal building project, we have you covered. We strive to furnish you with the finest quality building components and metal roofing supplies possible.

Your role is critical in fulfilling the mission of our company. In appreciation of your business, we personally guarantee you will receive the best service possible. By consistently going the extra mile, we have created loyal clientele. In this same manner, we hope to earn your confidence and continued business.

Our Tusk Metal Building & Supply team is here to support you and we are looking forward to helping you achieve your goals and objectives with your steel building construction.

 1590 East Joyce #8192  
Fayetteville, AR 72703

 [info@tuskmb.com](mailto:info@tuskmb.com)

 479-427-0381

 [www.TuskMBS.com](http://www.TuskMBS.com)

# Table of Contents

## RED IRON

CEE, ZEE & CHANNEL.....	4
Eave Strut.....	4
Angle.....	4

## STEEL

Wide Flange.....	5
Steel Angle.....	5
Structural Channel.....	5
Plate.....	5
20' Flat Bar.....	5
Tube.....	5

## FASTENERS

Lap Screw.....	6
Lathe Screw.....	6
Stitch Screw.....	6
Woodbinder.....	6
Pop Rivets.....	6
Drive Pins.....	6
Teks.....	6
Teks 5.....	6
Teks (no washer).....	6
Driver Bits.....	6

## BOLTS

Titan HD Anchor.....	7
Wedge Anchor.....	7
Anchor Bolts.....	7
Bolts.....	7

## BRACING

Cable.....	7
Eyebolt.....	7
Hillside Bracer.....	7

## SHEETS & PANELS

Wafer Clips.....	8
26ga Flat Sheets.....	8
R-Panel.....	8
Omega Plus Panel.....	8
Standing Seam.....	8

## COLOR CHART - PAGE 9

## ACCESSORIES

Caulk.....	10
Touch-Up Paint .....	10
Mastic Tape.....	10
Pipe Flash.....	10
Insulation.....	10
Snow Trax.....	10
Closures.....	10

## ACCESSORIES

Ridge Vents.....	11
Cupola.....	11

## DOORS

Leaf.....	11
Frame Packs.....	11
Door Accessories.....	11
Door Threshold.....	11

## TRIM

Industrial / Commercial....	12-13
Residential / Post Frame...	14-15

# Red Iron

## CEE, ZEE & CHANNEL

### Width Depth Gauge

4"	2"	16
4"	2.5"	16
4"	2.5"	14
4"	3.5"	16
4"	3.5"	14
6"	2.5"	16
6"	2.5"	14
6"	3.5"	16
6"	3.5"	14
6"	3.5"	12
8"	2.5"	16
8"	2.5"	14
8"	2.5"	12
8"	3.5"	16
8"	3.5"	14
8"	3.5"	12
8"	4"	14
8"	4"	12
10"	2.5"	16
10"	2.5"	14
10"	2.5"	12
10"	3.5"	14
10"	3.5"	12



## EAVE STRUT

### Height Bottom Leg Top Leg Gauge

4"	4"	3"	16
4"	4"	3"	14
6"	4"	3"	16
6"	4"	3"	14
6"	4"	3"	12
8"	4"	3"	14
8"	4"	3"	12
8"	5"	3"	14
8"	5"	3"	12
10"	5"	3"	14
10"	5"	3"	12



**DOUBLE/SINGLE  
UP/DOWN  
UP TO A 5:12 PITCH**

## ANGLE

OTHER SIZES AVAILABLE

### Width Depth Gauge

2.5"	2.5"	14
3.5"	3.5"	16
4"	2"	16
4"	3"	16
4"	4"	16
6"	3"	16
6"	4"	16
6"	4"	14
8"	4"	16
8"	4"	14
9"	3"	14
9"	3"	16

**STANDARD AND  
CUSTOM PUNCHES  
AVAILABLE**



# Steel

## WIDE FLANGE

Width Length Weight

8 x 10	20'	250 LB
8 x 10	40'	400 LB
8 x 13	40'	520 LB
8 x 15	40'	600 LB
8 x 18	20'	360 LB
8 x 18	40'	720 LB

OTHER SIZES  
AVAILABLE BY  
SPECIAL ORDER

## STEEL ANGLE

ALL SIZES AVAILABLE BY  
SPECIAL ORDER

## STRUCTURAL CHANNEL

ALL SIZES AVAILABLE BY  
SPECIAL ORDER

## PLATE

Width Length Weight

10 GA	5'	10'	283.6 LB
3/16"	5'	10'	383 LB
	6'	10'	459.6 LB
1/4"	4'	10'	408.4 LB
	5'	10'	510 LB
	6'	10'	612.6 LB
1/2"	4'	8'	653 LB

## 20' FLAT BAR

Width Weight

1/4"	3"	51 LB
	4"	68 LB
	5"	85 LB
	6"	102 LB
	8"	136 LB
5/16"	4"	85 LB
	5"	106.2 LB
	6"	127.61 LB
3/8"	5"	127.6 LB
	6"	153 LB
	8"	204 LB
1/2"	2"	68 LB
	3"	102 LB
	4"	136 LB
	5"	170 LB
	6"	204 LB
5/8"	8"	272 LB
	6"	255 LB
	8"	340 LB
	10"	425 LB
	6"	306 LB
8"	408 LB	

## TUBE

ALL SIZES AVAILABLE BY  
SPECIAL ORDER

# Fasteners

SEE PAGE 9 FOR AVAILIABLE COLORS

## LAP SCREW

Length : 7/8"



## LATHE SCREW

Length : 1/2"



## STITCH SCREW

Length : 3/4"



## WOODBINDER

Lengths : 1", 1.5", 2", 2.5"



## POP RIVETS

Special Order



## DRIVE PIN

Length : 1/4"



## TEKS

Lengths: 1.25", 1.5", 2"



## TEK 5

Lengths: 12-24 X 1.25"



## TEKS® NO WASHER



**Size Length Color**

1/4-14	1 1/4"	Plain
12-14	3/4"	Plain
12-14	3/4"	White
12-14	1 1/4"	Plain

## DRIVER BITS

**Type Size**

Spring Loaded	1/4"
Mag Socket	1/4"
	5/16"
	3/8"
	7/16"
Phillips	#2
	#3
Square	R2




# Bolts

Nuts and Washers  
Available Separately

## TITAN HD ANCHOR

Size



## WEDGE ANCHOR

Size



## ANCHOR BOLTS

Size



## BOLTS

<b>A307</b> 	1/2" x 1 1/4"	A307
	1/2" x 1 1/4"	Fin Neck
<b>Fine Neck</b> 	1/2" x 1 1/2"	A325
	1/2" x 1 3/4"	A325
<b>A325</b> 	3/4" x 1 1/2"	A325
	3/4" x 1 3/4"	A325
	3/4" x 2"	A325
	3/4" x 2 1/4"	A325
	3/4" x 2 1/2"	A325
	3/4" x 3"	A325
	5/8" x 1/2"	A325
	5/8" x 2"	A325

Other Sizes  
are Available

# Bracing

## CABLE

Size



## EYEBOLT

Size



## HILLSIDE BRACER

Size



# Sheets & Panels

## 26GA FLAT SHEETS



### Length

10' - 3"

14' - 3"

20' - 6"

See Page 9  
for Available  
Colors



## R-PANEL


26 Gauge - Cut to Length



- Industry standard strength and durability.
- Available in 26ga. 80,000 psi (pounds per square inch) min. tensile strength
- Available in 13 standard colors and Galvalume. Standard colors carry a 40 year limited warranty.
- Not recommended for roof pitches less than 1/2 - to - 12.
- Also available in Reverse Roll (upside down)
- Priced by the linear foot.

## OMEGA PLUS PANEL

29 and 26 Gauge - Cut to Length



- Used extensively in the post frame and residential industries.
- Available in 29 ga. and 26 ga. 80,000 psi (pounds per square inch) min. Tensile Strength.
- Available in 13 standard colors and Galvalume. Standard colors carry a 40 year limited warranty.
- Not recommended for roof pitches less than 3 - to - 12.
- Prices by the linear foot.

## STANDING SEAM

Various Options Available on Request




## WAFFER CLIPS




Size

1 1/2"

2"



# Color Chart



PROUDLY FINISHED WITH  
**SHERWIN-WILLIAMS.**  
Coil Coatings

Weather**XL**



# Accessories

## CAULK



### Color

Clear

White

## PIPE FLASH

HIGH TEMP, AND BLACK AVAILABLE



### Type

### Size

#3	1/4" - 4"
#4	3" - 6"
#5	4" - 7"
#6	5" - 9"
#7	6" - 11"
#8	7" - 13"
#9	10" - 18"
Retro Zip Boot	1/2" - 4"

## TOUCH-UP PAINT



SEE PAGE 9  
FOR  
AVAILABLE  
COLORS

## INSULATION

### Type

### Size



3" VRR	4' x 53'
3" VRR	6' x 20'
3" VRR	6' x 53'
3" VRR	6' x 75'
3" VRR	6' x 103'
Double and Single Bubble	6' x 102'
1.5" Double-Faced Tape	180' Roll
WMPVR-R Patch Tape	1550' Roll

## MASTIC TAPE



### Width Length

3/8"	45'
1"	45'

## SNOW TRAX



## CLOSURES

### Type

R-Panel

Omega Panel

M-Panel

Expanding  
Foam

Flex-O-Vent


Multi-Vent

Universal

Omega  
Panel



Flex-O-Vent



R-Panel



Expanding  
Foam



# Accessories

## VENTS



Size	Type	Color
9" x 10'-0" 12" x 10'-0" And More	Ridge Vent with Flat or Die-Form Skirt	Galvalume / White
2' x 2' 3' x 3' 4' x 4'	Cupola	See Page 9 for available colors
Various	Apex	Galv. / White



AVAILABLE BY SPECIAL ORDER

# Doors


## LEAF



Size	Type
3070	Double Lock
4070	Double Lock
6070	Double Lock

ALL DOORS AVAILABLE 1/2 GLASS SINGLE LOCK


## 8 1/4" FRAME PACK



Size	Type
3070	Double Lock
4070	Double Lock
6070	Double Lock
6070	Double Lock Double Active

4 1/4" AND 6 1/4" AVAILABLE

## DOOR THRESHOLD



Length
3'
4'
6'

## DOOR ACCESSORIES

### Type

Standard Knob

Lever Lock

Dead Bolt

Hinge Set

Panic Hardware

Closer

Lock Guard



Standard Knob



Lever Lock



Dead Bolt



Panic Hardware



Hinge Set




Closer

## INDUSTRIAL / COMMERCIAL

<b>RAKE TRIM</b> 	<b>HEAD &amp; JAMB COVER</b> 	<b>STD. DOWNSPOUT WITH KICKOUT</b> 
<b>HIGH SIDE EAVE</b> 	<b>JAMB TRIM</b> 	<b>OVERSIZED DOWNSPOUT WITH KICKOUT</b> 
<b>PEAK BOX</b> 	<b>HEAD TRIM</b> 	<b>STD. DOWNSPOUT STRAP</b> 
<b>RAKE TRIM CLOSURE</b> 	<b>VEE-PROFILE HEAD TRIM</b> 	<b>OVERSIZED DOWNSPOUT STRAP</b> 
<b>SHORT EAVE TRIM</b> 	<b>BASE TRIM</b> 	<b>STD. GUTTER</b> 
<b>STANDARD EAVE TRIM</b> 	<b>LONG GUARD</b> 	<b>OVERSIZED GUTTER</b> 
<b>CORNER BOX</b> 	<b>TRANSITION TRIM</b> 	<b>STD. GUTTER ENDCAP</b> 
<b>OUTSIDE CORNER</b> 	<b>DIE-FORM FLASHING</b> 	<b>OVERSIZED GUTTER ENDCAP</b> 
<b>INSIDE CORNER</b> 		<b>STD. / OVERSIZED GUTTER STRAP</b> 

Custom Trim Available  
 \*Varies with Pitch

# COMMERCIAL TRIMS



## RESIDENTIAL / LOW RIB / POST FRAME

<p><b>RAKE &amp; CORNER TRIM</b></p>	<p><b>ENDWALL TRANSITION</b></p>	<p><b>STD. RIDGE ROW</b></p>
<p><b>RESIDENTIAL RAKE TRIM</b></p>	<p><b>SIDEWALL TRANSITION</b></p>	<p><b>WIDE RIDGE ROW</b></p>
<p><b>INSIDE CORNER</b></p>	<p><b>RAT GUARD</b></p>	<p><b>GUTTER</b></p>
<p><b>FASCIA</b></p>	<p><b>WINDOW DRIP FLASH</b></p>	<p><b>HANG-ON GUTTER</b></p>
<p><b>RESIDENTIAL EAVE TRIM</b></p>	<p><b>J TRIM</b></p>	<p><b>GUTTER STRAP</b></p>
<p><b>UPPER GAMBREL TRIM</b></p>	<p><b>WAINSCOT TRIM</b></p>	<p><b>DOWNSPOUT</b></p>
<p><b>LOWER GAMBREL TRIM</b></p>	<p><b>VALLEY TRIM</b></p>	<p><b>DOWNSPOUT STRAP</b></p>

Custom Trim Available  
\*Varies with Pitch

# POST FRAME / RESIDENTIAL TRIMS

